



**PLIABLE CONDUITS  
CONCRETE INSTALLATIONS**

03

# PLIABLE CONDUITS CONCRETE INSTALLATIONS

## SIBI® SUPER



### PRODUCT DESCRIPTION

- Pliable Corrugated, with Protective Coating
- Compression resistant :  $\leq 550\text{N}$
- Material: U-PVC - Coating P-PVC
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab
- Infloor - Garden - Underground

CODE	TYPE	DIAMETER		LENGTH m	PACKING m
		D1/mm	D2/mm		
04-21006-011	11	16,6	12	50	50
04-21007-013	13,5	19,7	14,3	50	50
04-21008-016	16	22,3	17	50	50
04-21009-023	23	30	24	25	25
04-21010-029	29	35,8	28,7	25	25



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1



## SIBI + Wire



### PRODUCT DESCRIPTION

- Pliable Corrugated, with Protective Coating
- Compression resistant : 550N
- Material: U-PVC - Coating P-PVC
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab
- Infloor - Garden - Underground

- Cable Puller inside (Galvanized Wire  $\varnothing 0,8\text{mm}$  - TensileF\_750N)

CODE	TYPE	DIAMETER		LENGTH m	PACKING m
		D1/mm	D2/mm		
04-21001-011	11	16,6	12	50	50
04-21002-013	13,5	19,7	14,3	50	50
04-21003-016	16	22,3	17	50	50
04-21004-023	23	30	24	25	25
04-21005-029	29	35,8	28,7	25	25



## TUBODIN Medium Type 750N



### PRODUCT DESCRIPTION

- Pliable Corrugated
- Compression resistant : 750N
- Material: Polyvinil Chloride U-PVC
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab
- Infloor - Garden - Underground

CODE	TYPE	DIAMETER		LENGTH m	PACKING m
		D1/mm	D2/mm		
03-21001-011	11	16	11	50	50
03-21002-013	13,5	19,4	14,2	50	50
03-21003-016	16	21,9	16,6	50	50
03-21004-023	23	29,3	23,3	25	25
03-21005-029	29	34,8	28,5	25	25



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1



## COUPLING SiBi

### PRODUCT DESCRIPTION - APPLICATIONS

- Join two runs of SIBI Conduits
- Material : Polyvinil Chloride (P-PVC)
- No flame propagation, Self Extinguishing
- Ingress Protection : IP54

CODE	TYPE	OD CONDUIT	PACKING Pcs
21-21001-011	11	$\varnothing 11$	50
21-21002-013	13,5	$\varnothing 13,5$	50
21-21003-016	16	$\varnothing 16$	50
21-21004-023	23	$\varnothing 23$	25



## COUPLING TUBODIN

### PRODUCT DESCRIPTION - APPLICATIONS

- Join two runs of TUBODIN Conduits
- Material : Polyvinil Chloride (P-PVC)
- No flame propagation, Self Extinguishing
- Ingress Protection : IP54

CODE	TYPE	OD CONDUIT	PACKING Pcs
21-21010-011	11	$\varnothing 11$	100
21-21011-013	13,5	$\varnothing 13,5$	100
21-21012-016	16	$\varnothing 16$	100
21-21013-023	23	$\varnothing 23$	50

