



# 03

## CONCRETE INSTALLATIONS CONDUITS - MATERIALS

# PLIABLE CONDUITS & ACCESSORIES



## SIBI® SUPER



### PRODUCT DESCRIPTION

- Pliable Corrugated, with Protective Coating
- Compression resistant : >550N
- Material: U-PVC - Coating P-PVC
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab - Shock proof
- Infloor - Garden - Underground

| CODE         | TYPE | DIAMETER |       | LENGTH | PACKING |
|--------------|------|----------|-------|--------|---------|
|              |      | OD/mm    | ID/mm | m      | m       |
| 04-21006-011 | 11   | 16,6     | 12    | 50     | 50      |
| 04-21007-013 | 13,5 | 19,7     | 14,3  | 50     | 50      |
| 04-21008-016 | 16   | 22,3     | 17    | 50     | 50      |
| 04-21009-023 | 23   | 30       | 24    | 25     | 25      |
| 04-21010-029 | 29   | 35,8     | 28,7  | 25     | 25      |



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1



## SIBI WIRE



### PRODUCT DESCRIPTION

- Pliable Corrugated, with Protective Coating
- Compression resistant : >550N
- Material: U-PVC - Coating P-PVC
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab - Shock proof
- Infloor - Garden - Underground

- Cable Puller inside (Galvanized Wire Ø0,8mm - TensileF\_750N)

| CODE         | TYPE | DIAMETER |       | LENGTH | PACKING |
|--------------|------|----------|-------|--------|---------|
|              |      | OD/mm    | ID/mm | m      | m       |
| 04-21001-011 | 11   | 16,6     | 12    | 50     | 50      |
| 04-21002-013 | 13,5 | 19,7     | 14,3  | 50     | 50      |
| 04-21003-016 | 16   | 22,3     | 17    | 50     | 50      |
| 04-21004-023 | 23   | 30       | 24    | 25     | 25      |
| 04-21005-029 | 29   | 35,8     | 28,7  | 25     | 25      |

## TUBODIN - Medium Type 750N



### PRODUCT DESCRIPTION

- Pliable Corrugated
- Material: Polyvinil Chloride U-PVC
- Compression resistant : Medium >750N
- No flame propagating, Self Extinguishing

### APPLICATIONS - INSTALLATIONS

- Indoor - Outdoor - Residential - Industrial
- Encased in Concrete slab
- Infloor - Garden - Underground

| CODE         | TYPE | DIAMETER |       | LENGTH | PACKING |
|--------------|------|----------|-------|--------|---------|
|              |      | OD/mm    | ID/mm | m      | m       |
| 03-21001-011 | 11   | 16       | 11    | 50     | 50      |
| 03-21002-135 | 13,5 | 19,4     | 14,2  | 50     | 50      |
| 03-21003-016 | 16   | 21,9     | 16,6  | 50     | 50      |
| 03-21004-023 | 23   | 29,3     | 23,3  | 25     | 25      |
| 03-21005-029 | 29   | 34,8     | 28,5  | 25     | 25      |



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1



## COUPLING SiBi



### PRODUCT DESCRIPTION

- Join two runs of SIBI Conduits
- Material : Polyvinil Chloride (P-PVC)
- No flame propagation, Self Extinguishing
- Ingress Protection : IP54

| CODE         | TYPE | OD CONDUIT | PACKING Pcs |
|--------------|------|------------|-------------|
| 21-21001-011 | 11   | Ø 11       | 50          |
| 21-21002-013 | 13,5 | Ø 13,5     | 50          |
| 21-21003-016 | 16   | Ø 16       | 50          |
| 21-21004-023 | 23   | Ø 23       | 25          |



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1



## COUPLING TUBODIN



### PRODUCT DESCRIPTION - APPLICATIONS

- Join two runs of TUBODIN Conduits
- Material : Polyvinil Chloride (U-PVC)
- No flame propagation, Self Extinguishing
- Ingress Protection : IP54

| CODE         | TYPE | OD CONDUIT | PACKING Pcs |
|--------------|------|------------|-------------|
| 21-21010-011 | 11   | Ø 11       | 50          |
| 21-21011-013 | 13,5 | Ø 13,5     | 50          |
| 21-21012-016 | 16   | Ø 16       | 50          |
| 21-21013-023 | 23   | Ø 23       | 25          |



EN.61386-22/2004  
EN.61386-1/2008  
DIN 49018-1





# 03

## CONCRETE INSTALLATIONS MATERIALS



## KIT BOX BETON D80




### PRODUCT DESCRIPTION

- Plastic Junction-Switch Box Kit (Base, Body, Cover)
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

### APPLICATIONS - INSTALLATIONS

- Residential, Professional - Encased in concrete slab
- Vertical nailed on concrete formwork molds
- Wiring, Junction, Extension, Standby, Switch fit
- With knock out Entries, Conduits up to  $\varnothing 25mm$

| CODE         | TYPE          | DIMENSIONS mm               | PACKING Pcs |
|--------------|---------------|-----------------------------|-------------|
| 29-20000-070 | BETON BOX D80 | $\varnothing 80 \times 100$ | 30          |



## KIT BOX BETON D70




### PRODUCT DESCRIPTION

- Plastic Junction-Switch Box Kit (Base, Body, Cover)
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

### APPLICATIONS - INSTALLATIONS

- Residential, Professional - Encased in concrete slab
- Vertical nailed on concrete formwork molds
- Wiring, Junction, Extension, Standby, Switch fit
- With knock out Entries, Conduits up to  $\varnothing 25mm$

| CODE         | TYPE          | DIMENSIONS mm              | PACKING Pcs |
|--------------|---------------|----------------------------|-------------|
| 29-20000-070 | BETON BOX D70 | $\varnothing 70 \times 70$ | 30          |



## ΚΟΥΤΙΑ ΕΓΚΑΤΑΣΤΑΣΗΣ ΦΩΤΙΣΤΙΚΩΝ SPOT




### PRODUCT DESCRIPTION

- Plastic Installation Box
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

### APPLICATIONS - INSTALLATIONS

- Residential, Professional - Encased in concrete slab
- Vertical nailed on concrete formwork molds
- Ideal for installing SPOTLIGHT mechanism.
- With knock out Entries, Conduits up to  $\varnothing 25mm$

| CODE         | TYPE    | DIMENSIONS mm                | PACKING Pcs |
|--------------|---------|------------------------------|-------------|
| 29-21001-050 | R.50    | ( $\varnothing$ ID)75x(H)110 | 75          |
| 29-21002-063 | R.63-80 | ( $\varnothing$ ID)95x(H)125 | 60          |



## BETON PIPE TERMINALS



### PRODUCT DESCRIPTION

- Plastic Vertical Terminal for Pliable conduits
- Plastic Terminal Bend 30° for Pliable conduits
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

### APPLICATIONS - INSTALLATIONS

- Residential, Professional - Encased in concrete slab
- Plug-in to Adapters
- Wiring Ends, Standby
- Snap-fit with Conduits  $\varnothing 20mm$  up to  $\varnothing 25mm$

| CODE         | TYPE             | DIMENSIONS mm | PACKING Pcs |
|--------------|------------------|---------------|-------------|
| 29-20001-001 | BETON ADAPTER V  | 55x50         | 20          |
| 29-20002-002 | BETON ADAPTER 30 | 55x50         | 20          |

