



FLUSH MOUNTED BOXES

06



SWITCH BOXES

SUPER ECO



PRODUCT DESCRIPTION


- Plastic Box for Claw/Screw Install mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 1Gang Plates Mechanisms Lighting Switches, Plug Sockets, etc
- Multiple Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|-----------|---------------|-------------|
| 08-21019-001 | SUPER ECO | Ø 60x40 | 100 |

MECHANISMS COMBINATIONS



EXTENSIONS : SUPER ECO



DESCRIPTION - APPLICATIONS

- Plastic Height Extension for SUPER ECO & FRAME
- Material : Modified & Upcycled Thermoplastic Polyolefin

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|--------------|---------------|-------------|
| 08-21060-001 | SUPER ECO 10 | Ø 60x10 | 100 |
| 08-21061-001 | SUPER ECO 20 | Ø 60x20 | 100 |

MECHANISMS COMBINATIONS



SUPER ECO PLUS



PRODUCT DESCRIPTION

- Deep Plastic Box for Claw/Screw Install mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 71mm axial combination distance
- 1,2,3 Gang Plates Mechanisms, Switches, Sockets, etc
- Multiple Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|----------------|---------------|-------------|
| 08-20020-001 | SUPER ECO PLUS | Ø 60x62 | 100 |

MECHANISMS COMBINATIONS



D 65



PRODUCT DESCRIPTION


- Plastic Box for Screwed or Claw Install mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 1 Gang Plates Mechanisms
- Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|------|---------------|-------------|
| 08-21021-065 | D.65 | Ø 60x42 | 100 |

MECHANISMS COMBINATIONS



D 65 PLUS



PRODUCT DESCRIPTION


- Plastic Box for Screwed or Claw Install mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 1 Gang Plates Mechanisms
- Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|-----------|---------------|-------------|
| 08-20021-065 | D.65 PLUS | Ø 60x62 | 100 |

MECHANISMS COMBINATIONS





FRAME



PRODUCT DESCRIPTION


- Plastic Box for Modular Plate Mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 71mm axial combination distance
- 1,2,3 Gang Plates Mechanisms, Switches, Sockets, etc
- Multiple Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|-------|---------------|-------------|
| 08-21022-002 | FRAME | Ø 75x40 | 100 |

MECHANISMS COMBINATIONS



EXTENSIONS : FRAME



DESCRIPTION - APPLICATIONS

- Plastic Height Extension for SUPER ECO & FRAME
- Material : Modified & Upcycled Thermoplastic Polyolefin

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|----------|---------------|-------------|
| 08-21028-010 | FRAME 10 | Ø 75x10 | 100 |
| 08-21029-020 | FRAME 20 | Ø 75x20 | 100 |

EVO



PRODUCT DESCRIPTION

- Conical Plastic Box for Claw Install mechanisms
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted - Masonry > Residential - Professional
- 71mm axial combination distance
- 1,2,3 Gang Plates Mechanisms, Switches, Sockets, etc
- Multiple Knock out Entries Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|----------|---------------|-------------|
| 08-21023-003 | EVO | Ø 65x47 | 100 |
| 08-21027-003 | CONECTOR | L 22 | 100 |

MECHANISMS COMBINATIONS



MODUL

INSTALLATIONS - APPLICATIONS

- InDoor - Flush Mounted, Masonry
- Residential, Industrial, Professional
- Standard distance for Multi Gang Plates Mechanisms
- Knock out Entries Max Ø20mm

3 GANG - PRODUCT DESCRIPTION

- Plastic Box for 3 Gang MODULES mechanisms Installation
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

4 GANG - PRODUCT DESCRIPTION

- Plastic Box for 4 Gang MODULES mechanisms Installation
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

6 GANG - PRODUCT DESCRIPTION


- Plastic Box for 6 Gang MODULES mechanisms Installation
- Material : Modified & Upcycled Thermoplastic Polyolefin
- Ingress Protection : IP30

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|--------|---------------|-------------|
| 08-21024-003 | 3 GANG | 97x60x50 | 100 |
| 08-21025-004 | 4 GANG | 122x60x50 | 100 |
| 08-21026-006 | 6 GANG | 174x60x50 | 50 |


3 GANG MECHANISMS COMBINATIONS



4 GANG MECHANISMS COMBINATIONS



6 GANG MECHANISMS COMBINATIONS





JUNCTION BOXES

ROUND NT



PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Wiring Junction or Extension
- With knockout Conduit Entries, Max Ø20mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|--------|---------------|-------------|
| 08-21001-001 | NT | Ø 72x35 | 100 |
| 09-21001-001 | LID NT | Ø 72 | 100 |

ROUND 100



PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Wiring Junction or Extension
- With knockout Conduits Entries, up to Ø32mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------|---------------|-------------|
| 08-21002-100 | Ø100 | Ø 100x45 | 60 |
| 09-21002-100 | LID 100 | Ø 100 | 50 |

SQUARE 7,5 x 7,5



PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Wiring Junction or Extension
- With knockout Conduits Entries, up to Ø25mm

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------|---------------|-------------|
| 08-21003-075 | 7,5x7,5 | 7,5x7,5 | 100 |
| 09-21030-075 | LID 7,5 | 7,5x7,5 | 100 |

ULTRA PLUS 130x130



PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With multiple knockout Conduits Entries

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|------------|---------------|-------------|
| 08-20010-130 | UP 130x130 | 130x130x55 | 30 |



ULTRA PLUS 160x160



PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With multiple knockout Conduits Entries

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|------------|---------------|-------------|
| 08-20011-160 | UP 160x160 | 160x160x65 | 20 |



ULTRA PLUS 200x200




PRODUCT DESCRIPTION

- Plastic Junction Box with removable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With multiple knockout Conduits Entries

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|------------|---------------|-------------|
| 08-20012-200 | UP 200x200 | 200x200x70 | 10 |





ULTRA - 80x80



PRODUCT DESCRIPTION

- Plastic Junction Box with Height-adjustable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knock out Conduit Entries, up to $\varnothing 32mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|-------------|---------------|-------------|
| 08-21003-080 | ULTRA 80x80 | 80x80x45 | 50 |
| 09-21003-075 | LID 80x80 | 80x80 | 100 |

ULTRA - 105x105



PRODUCT DESCRIPTION

- Plastic Junction Box with Height-adjustable cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knockout Conduit Entries, up to $\varnothing 32mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------------|---------------|-------------|
| 08-21004-105 | ULTRA 105x105 | 105x105x45 | 40 |
| 09-21004-105 | LID 105x105 | 105x105 | 50 |

ULTRA 155x105



PRODUCT DESCRIPTION

- Plastic Junction Box with Screwed-On cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knockout Conduit Entries, up to $\varnothing 32mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------------|---------------|-------------|
| 08-21005-155 | ULTRA 155x105 | 155x105x45 | 30 |
| 09-21005-155 | LID 155x105 | 155x105 | 50 |

ULTRA 155x125



PRODUCT DESCRIPTION

- Plastic Junction Box with Screwed-On cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knockout Conduit Entries, up to $\varnothing 40mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------------|---------------|-------------|
| 08-21006-125 | ULTRA 155x125 | 155x125x45 | 40 |
| 09-21006-125 | LID 155x125 | 155x125 | 50 |

ULTRA 190x145



PRODUCT DESCRIPTION

- Plastic Junction Box with Screwed-On cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knockout Conduit Entries, up to $\varnothing 40mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------------|---------------|-------------|
| 08-21007-190 | ULTRA 190x145 | 190x145x50 | 20 |
| 09-21007-190 | LID 190x145 | 190x145 | 50 |

ULTRA 290x145



PRODUCT DESCRIPTION

- Plastic Junction Box with Screwed-On cover
- Material : Modified Thermoplastic Polyolefin
- Ingress Protection : IP30

INSTALLATIONS - APPLICATIONS

- Indoor - Flush Mounted > Residential - Professional
- Large Capacity for Wiring Junction or Extension
- With knockout Conduit Entries, up to $\varnothing 40mm$

| CODE | TYPE | DIMENSIONS mm | PACKING Pcs |
|--------------|---------------|---------------|-------------|
| 08-21008-290 | ULTRA 290x145 | 190x145x50 | 10 |
| 09-21008-290 | LID 290x145 | 190x145 | 20 |



IEC 60670-1/2015

